

HOMI COPY

PCT

REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiving Office use only

PCT/US 98 / 235 4 5
International Application No.(04.11.98)
International Filing Date 04 NOV 1998PCT INTERNATIONAL APPLICATION RO/US
Name of receiving Office and "PCT International Application"Applicant's or agent's file reference
(if desired) (12 characters maximum) GD7000PCT

Box No. I TITLE OF INVENTION

COMPONENT OF PRINTED CIRCUIT BOARDS

Box No. II APPLICANT

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)

GA-TEK Inc.
(dba Gould Electronics Inc.)
34929 Curtis Boulevard
Eastlake, OH 44095-4001 US

☐ This person is also inventor.

Telephone No.

(440) 953-5000

Facsimile No.

(440) 953-5120

Teleprinter No.

State (i.e. country) of nationality:

US

State (i.e. country) of residence:

US

This person is applicant
for the purposes of:all designated
Statesall designated States except
the United States of America☐ the United States
of America only☐ the States indicated in
the Supplemental Box

Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)

SCHNEIDER, Bernd
Waldstrasse 17 a
March-Holzhausen 79232 DE

This person is:

☐ applicant only☒ applicant and inventor☒ inventor only (If this check-box
is marked, do not fill in below.)

State (i.e. country) of nationality:

DE

State (i.e. country) of residence:

DE

This person is applicant
for the purposes of:all designated
Statesall designated States except
the United States of America☒ the United States
of America only☐ the States indicated in
the Supplemental Box☐ Further applicants and/or (further) inventors are indicated on a continuation sheet.

Box No. IV AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE

The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as:



agent



common representative

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.)

KUSNER, Mark
Mark Kusner Co., LPA
Highland Place - Suite 310
6151 Wilson Mills Road
Highland Heights, OH 44143 US

Telephone No.

(440) 684-1090

Facsimile No.

(440) 684-1095

Teleprinter No.

☐ Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.

DELETED
BY RO/US

Box No.V DESIGNATION OF STATES

The following designations are hereby made under Rule 4.9(a) (mark the applicable check-boxes; at least one must be marked):

Regional Patent

- ☐ AP ARIPO Patent: GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, SD Sudan, SZ Swaziland, UG Uganda, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT
- ☐ EA Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT
- ☒ EP European Patent: AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, DE Germany, DK Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European Patent Convention and of the PCT
- ☐ OA OAPI Patent: BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, GA Gabon, GN Guinea, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment desired, specify on dotted line)

National Patent (if other kind of protection or treatment desired, specify on dotted line):

- | | |
|---|---|
| <input type="checkbox"/> AL Albania | <input type="checkbox"/> LT Lithuania |
| <input type="checkbox"/> AM Armenia | <input type="checkbox"/> LU Luxembourg |
| <input type="checkbox"/> AT Austria | <input type="checkbox"/> LV Latvia |
| <input type="checkbox"/> AU Australia | <input type="checkbox"/> MD Republic of Moldova |
| <input type="checkbox"/> AZ Azerbaijan | <input type="checkbox"/> MG Madagascar |
| <input type="checkbox"/> BA Bosnia and Herzegovina | <input type="checkbox"/> MK The former Yugoslav Republic of Macedonia |
| <input type="checkbox"/> BB Barbados | <input type="checkbox"/> MN Mongolia |
| <input type="checkbox"/> BG Bulgaria | <input type="checkbox"/> MW Malawi |
| <input type="checkbox"/> BR Brazil | <input checked="" type="checkbox"/> MX Mexico |
| <input type="checkbox"/> BY Belarus | <input type="checkbox"/> NO Norway |
| <input checked="" type="checkbox"/> CA Canada | <input type="checkbox"/> NZ New Zealand |
| <input type="checkbox"/> CH and LI Switzerland and Liechtenstein | <input type="checkbox"/> PL Poland |
| <input checked="" type="checkbox"/> CN China | <input type="checkbox"/> PT Portugal |
| <input type="checkbox"/> CU Cuba | <input type="checkbox"/> RO Romania |
| <input type="checkbox"/> CZ Czech Republic | <input type="checkbox"/> RU Russian Federation |
| <input type="checkbox"/> DE Germany | <input type="checkbox"/> SD Sudan |
| <input type="checkbox"/> DK Denmark | <input type="checkbox"/> SE Sweden |
| <input type="checkbox"/> EE Estonia | <input checked="" type="checkbox"/> SG Singapore |
| <input type="checkbox"/> ES Spain | <input type="checkbox"/> SI Slovenia |
| <input type="checkbox"/> FI Finland | <input type="checkbox"/> SK Slovakia |
| <input type="checkbox"/> GB United Kingdom | <input type="checkbox"/> SL Sierra Leone |
| <input type="checkbox"/> GE Georgia | <input type="checkbox"/> TJ Tajikistan |
| <input type="checkbox"/> GH Ghana | <input type="checkbox"/> TM Turkmenistan |
| <input type="checkbox"/> GM Gambia | <input type="checkbox"/> TR Turkey |
| <input type="checkbox"/> GW Guinea-Bissau | <input type="checkbox"/> TT Trinidad and Tobago |
| <input type="checkbox"/> HU Hungary | <input type="checkbox"/> UA Ukraine |
| <input type="checkbox"/> ID Indonesia | <input type="checkbox"/> UG Uganda |
| <input type="checkbox"/> IL Israel | <input checked="" type="checkbox"/> US United States of America |
| <input checked="" type="checkbox"/> JP Japan | <input type="checkbox"/> UZ Uzbekistan |
| <input type="checkbox"/> KE Kenya | <input type="checkbox"/> VN Viet Nam |
| <input type="checkbox"/> KG Kyrgyzstan | <input type="checkbox"/> YU Yugoslavia |
| <input type="checkbox"/> KP Democratic People's Republic of Korea | <input type="checkbox"/> ZW Zimbabwe |
| <input checked="" type="checkbox"/> KR Republic of Korea | |
| <input type="checkbox"/> KZ Kazakhstan | |
| <input type="checkbox"/> LC Saint Lucia | |
| <input type="checkbox"/> LK Sri Lanka | |
| <input type="checkbox"/> LR Liberia | |
| <input type="checkbox"/> LS Lesotho | |

Check-boxes reserved for designating States (for the purposes of a national patent) which have become party to the PCT after issuance of this sheet:

In addition to the designations made above, the applicant also makes under Rule 4.9(b) all designations which would be permitted under the PCT except the designation(s) of _____

The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation of a designation consists of the filing of a notice specifying that designation and the payment of the designation and confirmation fees. Confirmation must reach the receiving Office within the 15-month time limit.)

Box No. VI PRIORITY CLAIMFurther priority claims are indicated in the Supplemental Box ☐

The priority of the following earlier application(s) is hereby claimed:

Country (in which, or for which, the application was filed)	Filing Date (day/month/year)	Application No.	Office of filing (only for regional or international application)
item (1)			
item (2)			
item (3)			

Mark the following check-box if the certified copy of the earlier application is to be issued by the Office which for the purposes of the present international application is the receiving Office (a fee may be required):

☐ The receiving Office is hereby requested to prepare and transmit to the International Bureau a certified copy of the earlier application(s) identified above as item(s):
Box No. VII INTERNATIONAL SEARCHING AUTHORITY

Choice of International Searching Authority (ISA) (If two or more International Searching Authorities are competent to carry out the international search, indicate the Authority chosen; the two-letter code may be used): ISA /US

Earlier search Fill in where a search (international, international-type or other) by the International Searching Authority has already been carried out or requested and the Authority is now requested to base the international search, to the extent possible, on the results of that earlier search. Identify such search or request either by reference to the relevant application (or the translation thereof) or by reference to the search request.

Country (or regional Office): Date (day/month/year): Number:

Box No. VIII CHECK LIST

This international application contains the following number of sheets:

1. request : 3 sheets
 2. description : 5 sheets
 3. claims : 2 sheets
 4. abstract : 1 sheets
 5. drawings : 1 sheets

Total : 12 sheets

This international application is accompanied by the item(s) marked below:

1. ☐ separate signed power of attorney
 2. ☒ copy of general power of attorney
 3. ☐ statement explaining lack of signature
 4. ☐ priority document(s) identified in Box No. VI as item(s):
 5. ☒ fee calculation sheet
 6. ☐ separate indications concerning deposited microorganisms
 7. ☐ nucleotide and/or amino acid sequence listing (diskette)
 8. ☐ other (specify):

Figure No. _____ of the drawings (if any) should accompany the abstract when it is published.

Box No. IX SIGNATURE OF APPLICANT OR AGENT

Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the request).


 Mark KUSNER

For receiving Office use only

1. Date of actual receipt of the purported international application:	0 4 NOV 1998 (04.11.98)	2. Drawings: <input type="checkbox"/> received: <input type="checkbox"/> not received:
3. Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application:		
4. Date of timely receipt of the required corrections under PCT Article 11(2):		
5. International Searching Authority specified by the applicant: ISA /US	6. <input type="checkbox"/> Transmittal of search copy delayed until search fee is paid	

For International Bureau use only

Date of receipt of the record copy by the International Bureau:

PCT

FEE CALCULATION SHEET

Annex to the Request

For receiving Office use only

PCT/US 98 / 235 45

International application No.

04 NOV 1998

Date stamp of the receiving Office

Applicant's or agent's
file reference GD7000PCT

Applicant

GA-TEK Inc. (dba Gould Electronics Inc.)

CALCULATION OF PRESCRIBED FEES

1. TRANSMITTAL FEE 240 T

2. SEARCH FEE 700 S

International search to be carried out by USPTO
(If two or more International Searching Authorities are competent in relation to the international application, indicate the name of the Authority which is chosen to carry out the international search.)

3. INTERNATIONAL FEE

Basic Fee

The international application contains 12 sheets.

first 30 sheets 455 b₁

0 x 10 = 0 b₂

remaining sheets additional amount

Add amounts entered at b₁ and b₂ and enter total at B 455 B

Designation Fees

The international application contains 8 designations.

8 x 105 = 840 D

number of designation fees amount of designation fee payable (maximum 11)

Add amounts entered at B and D and enter total at I 1295 I

(Applicants from certain States are entitled to a reduction of 75% of the international fee. Where the applicant is (or all applicants are) so entitled, the total to be entered at I is 25% of the sum of the amounts entered at B and D.)

4. FEE FOR PRIORITY DOCUMENT 0 P

5. TOTAL FEES PAYABLE

Add amounts entered at T, S, I and P, and enter total in the TOTAL box 2235

TOTAL

\$ 240
700
455
0
455
840
1295
0
\$ 2235

☐ The designation fees are not paid at this time.

MODE OF PAYMENT

☐ authorization to charge deposit account (see below)

☒ cheque

☐ postal money order

☐ bank draft

☐ cash

☐ revenue stamps

☐ coupons

☐ other (specify):

DEPOSIT ACCOUNT AUTHORIZATION (this mode of payment may not be available at all receiving Offices)

The RO/ US ☐ is hereby authorized to charge the total fees indicated above to my deposit account.

☒ is hereby authorized to charge any deficiency or credit any overpayment in the total fees indicated above to my deposit account.

☐ is hereby authorized to charge the fee for preparation and transmittal of the priority document to the International Bureau of WIPO to my deposit account.

50-0537

Deposit Account Number

04 Nov 1998 (04.11.98)

Date (day/month/year)

Signature

Mark Kusner

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁶ : B22F 7/04, B32B 3/08, 15/01, 15/20</p>	<p>A1</p>	<p>(11) International Publication Number: WO 00/25961 (43) International Publication Date: 11 May 2000 (11.05.00)</p>
<p>(21) International Application Number: PCT/US98/23545 (22) International Filing Date: 4 November 1998 (04.11.98) (71) Applicant (for all designated States except US): GA-TEK INC. d.b.a. GOULD ELECTRONICS INC. [US/US]; 34929 Curtis Boulevard, Eastlake, OH 44095-4001 (US). (72) Inventor; and (75) Inventor/Applicant (for US only): SCHNEIDER, Bernd [DE/DE]; Waldstrasse 17 a, D-79232 MARCH-Holzhausen (DE). (74) Agent: KUSNER, Mark; Mark Kusner Co., LPA, Highland Place, Suite 310, 6151 Wilson Mills Road, Highland Heights, OH 44143 (US).</p>		<p>(81) Designated States: CA, CN, JP, KR, MX, SG, US, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published With international search report.</p>

RECEIVED
JUN 12 2000
TC 1700 MAIL ROOM

(54) Title: COMPONENT OF PRINTED CIRCUIT BOARDS



RECEIVED
JUN 13 2000
TC 1700 MAIL ROOM

(57) Abstract

A component (10) for use in manufacturing articles, such as printed circuit boards, comprising a laminate constructed of a sheet of copper foil (20) that, in a finished circuit board, constitutes a functional element, and a sheet of carbon steel (14) having a layer of an inert metal (16) thereon, the sheet of carbon steel (14) constituting a discardable element. One surface (22) of the copper sheet (20) and the surface (18) of the inert metal layer (16) on the carbon steel sheet (14) are essentially uncontaminated and engageable with each other at interfaces. The copper sheet (20) is attached to the inert metal layer (16) of the carbon steel (14) at their borders and defines substantially uncontaminated central zones inwardly of the edges of the sheets that are uninjured at the interfaces.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

COMPONENT OF PRINTED CIRCUIT BOARDS

Field of the Invention

The present invention relates generally to printed circuits, and more particularly, to components used in the manufacturing of printed circuit boards and
5 other articles.

Background of the Invention

In the manufacture of printed circuit boards, sheets of copper foil are typically bonded to a dielectric layer of a partially cured epoxy resin containing woven glass fiber (such a dielectric layer is conventionally referred to as a "pre-preg"). In the
10 manufacture of copper clad laminates, sheets of copper foil are typically bonded to another layer of foil. In both processes, the copper foil is etched to produce conductive paths. In such processes, it is extremely important to avoid contamination of the copper foil sheets in that any foreign matter contacting the copper foil, such as resin dust, fiberglass fibers, hair, grease, oil or the like, may result in dots, dents,
15 deposits or pits on the copper foil that can adversely affect the formation of the conductive paths forming the printed circuits.

Copper foil is conventionally formed by an electrodeposition process. Following the production of the copper foil, it is known to secure a metallic substrate to one side of the copper foil to protect that side of the copper foil from contamination
20 during subsequent handling and shipping. The protected side of the copper foil is typically the side used to form the conductive pathways, while the exposed side of the foil is typically the side that is attached to a pre-preg or bonded to another layer of copper foil. The protective metallic substrate remains attached to the copper foil as it is attached to the pre-preg or bonded to the other layer of copper foil. The protective
25 metallic substrate is subsequently removed and discarded (or recycled) to expose the protected, uncontaminated side of the foil for processing to form the conductive pathways.

U.S. Patent No. 5,153,050 to Johnston discloses a copper/aluminum/copper laminate wherein the shiny side of a copper foil is bonded along its peripheral edges to
30 an aluminum substrate. U.S. Patent No. 5,674,596 to Johnston further discloses securing copper foil to a metallic substrate, such as a steel or a stainless steel substrate. U.S. Patent No. 5,512,381 to Konicek et al. discloses securing copper foil to a copper substrate.

Each of the foregoing structures uses a relatively expensive material, e.g., aluminum, stainless steel and copper, to form the disposable, protective substrate. In addition to the cost of such materials, copper and aluminum are relatively soft metals that are susceptible to image transfer during lamination of multi-layer laminates, particularly at high lamination temperatures and pressures. Stainless steel is a stronger metal than copper or aluminum, and possesses the corrosion resistance necessary to avoid contamination of the copper foil sheet. As a result, stainless steel finds advantageous application at higher laminating temperatures and pressures. However, corrosion resistance and higher strength of stainless steel come at a price. Typically, stainless steel sheet is even more expensive than copper and aluminum sheet.

The present invention provides a component for manufacturing printed circuit boards that has a copper foil protected by a metallic substrate, wherein the metallic substrate has the corrosion resistance of stainless steel at a significantly reduced cost.

Summary of the Invention

In accordance with the present invention, there is provided a component for use in manufacturing articles such as printed circuit boards. The component is comprised of a laminate constructed of a sheet of copper foil that, in a finished printed circuit board, constitutes a functional element, and a sheet of carbon steel having a layer of an inert metal thereon. The sheet of carbon steel constitutes a discardable element. One surface of the copper sheet and the surface of the inert metal layer on the carbon steel sheet are essentially uncontaminated and are engageable with each other at interfaces. The copper sheet is attached to the inert metal layer of the carbon steel sheet at its borders to define substantially uncontaminated central zones inwardly of the edges.

In accordance with another aspect of the present invention, there is provided a sheet of copper foil for manufacturing multi-layer laminates comprising a sheet of copper foil having a thickness greater than about 5 microns. The copper foil has a first surface adapted for adhering to a fiber reinforced polymer layer, and a second surface to be exposed after the first surface is adhered to the fiber reinforced polymer layer. A protective sheet of carbon steel having a thickness of about 0.05 mm to about 2.0 mm is provided. The carbon steel sheet has a layer of chromium with about 0.1 grams/m² to about 10 grams/m² electrodeposited on its surface. The layer of chromium engages

the second surface of the copper sheet and is attached thereto in a manner defining substantially uncontaminated central zones.

It is an object of the present invention to provide a component having a copper sheet for use in manufacturing articles, such as printed circuit boards, and a metallic substrate to protect a surface of the copper sheet before and during a manufacturing process.

It is a further object of the present invention to provide a component as described above wherein the metallic substrate is a relatively low cost, discardable item.

It is a further object of the present invention to provide a component as described above wherein the metallic substrate is formed of carbon steel and has an outer layer of an inert metal thereon for engagement with the copper sheet.

It is a further object of the present invention to provide a component as described above wherein the inert metal is chromium.

It is another object of the present invention to provide a component as described above that is suitable for high temperature processing applications.

A still further object of the present invention is to provide a component as described above wherein the discardable metallic substrate has a coefficient of thermal expansion approximately equal to the coefficient of thermal expansion of press plates used in forming laminated circuit boards.

A still further object of the present invention is to provide a component as described above wherein the metallic substrate is dimensioned and used as a press plate in a circuit board forming operation.

These and other objects will become apparent from the following description of a preferred embodiment taken together with the accompanying drawings and the appended claims.

Brief Description of the Drawings

The invention may take physical form in certain parts and arrangement of parts, a preferred embodiment of which will be described in detail in the specification and illustrated in the accompanying drawings which form a part hereof, and wherein:

FIG. 1 is an enlarged sectional view of a component used in forming articles such as printed circuit boards, illustrating a preferred embodiment of the present invention; and

FIG. 2 is a partially sectioned, top plan view of a portion of the component shown in FIG. 1.

Detailed Description of Preferred Embodiment

Referring now to the drawings wherein the showing is to illustrate a preferred
5 embodiment of the invention only, and not for the purpose of limiting same, FIG. 1 shows a component 10 for use in manufacturing articles such as printed circuit boards, illustrating a preferred embodiment of the present invention. In the embodiment shown, component 10 is comprised of a metallic substrate, designated 12, having copper sheets, designated 20, attached thereto. Substrate 12 is comprised of a metallic
10 sheet 14 having thin layers 16 of an inert metal formed on the surfaces thereof.

In accordance with a preferred embodiment of the present invention, metallic sheet 14 is comprised of conventional, mild carbon steel. Carbon steel sheet 14 preferably has a thickness of from about 0.05 mm to about 2.0 mm, and more preferably, has a thickness of from about 0.1 mm to about 0.3 mm. Layers 16 of inert
15 metal on sheet 14 are preferably selected from the group consisting of nickel, copper, cobalt, brass, chromium, antimony, cadmium and combinations thereof. In a preferred embodiment of the present invention, layer 16 is comprised of essentially pure chromium. Chromium layer 16 preferably has a thickness of from about 0.1 gram/m² to about 10 grams/m², and more preferably, has a thickness of from about 2.0
20 grams/m² to about 4.0 grams/m². Chromium layer 16 may be deposited through a number of various conventionally known techniques, such as wet chemical deposition, autocatalytic deposition, chemical vapor deposition, e.g., evaporation or sputtering, ion bombardment or electrolytic deposition. In a preferred embodiment of the present invention, chromium layer 16 is electrolytically deposited on carbon steel sheet 14. In
25 a preferred embodiment, carbon steel sheet 14 has a Rockwell 30-T hardness of between about 40 and about 60, a tensile strength of between about 390 newtons/mm² and about 440 newtons/mm², a thickness of about 0.18 mm, and chromium layer 16 is about 2 grams/m².

In accordance with the present invention, carbon steel sheet 14, with the
30 chromium layers 16 thereon, has a width approximately equal to the width of copper sheets 20 to be attached thereto. Surface 22 of copper sheet 20 that is ultimately to be exposed and etched into a printed circuit is placed facing surface 18 of chromium layer 16 of carbon steel sheet 14. Surface 18 of chromium layer 16 is cleaned so as to

be substantially contamination-free. Copper foil sheets 20 are attached to chromium layer 16 of substrate 12 such that interior portions of the facing surfaces of sheets 20 are substantially uncontaminated in a region 30 inwardly from edge portions 32 of sheets 20. More specifically, copper sheets 20 are preferably attached to substrate 12 in the vicinity of edge portions 32 by an adhesive or an adhesive-like material (not shown). Such materials may include adhesives, resins or tapes. Copper sheets 20 may also be adhered by mechanical means, such as crimping, deforming and the like. In a preferred embodiment of the present invention, beads of a flexible adhesive (not shown), conventionally known in the art, are applied in edge portions 32 of copper sheets 20 and substrate 12 to secure the same to each other.

The present invention thus provides a component 10 for forming circuit boards or other articles that includes a copper sheet 20 adapted to be attached to a polymer board. Surface 22 of copper sheet 20 that is to be ultimately exposed and etched by a forming process is protected by a relatively inexpensive metallic substrate 12 having a thin layer 16 of an inert metal on an inner core 14 of carbon steel. The inert metal protects surface 22 of copper 20 from corrosion conventionally associated with ordinary carbon steel. At the same time, the carbon steel core 14 of metallic substrate 12 provides the strength of steel, at significantly less cost than using stainless steel sheet. Importantly, the carbon steel core 14 has essentially the same coefficient of thermal expansion as the press plates that conventional, multi-opening presses use in forming printed circuit boards. Thus, the laminated structure to be formed with copper sheet 20 is disposed between two materials having the same or similar coefficients of thermal expansion, i.e., the press plate and substrate 12. This provides a more uniform distribution of stresses in the laminate during the heating and compression steps of processing. In addition, the use of chromium as a protection layer on the steel allows for higher processing temperatures when using polymer materials requiring higher setting temperatures.

The foregoing description discloses preferred embodiments of the present invention. It should be appreciated that the embodiments are described for the purpose of illustration only, and that numerous alterations and modifications may be practiced by those skilled in the art without departing from the spirit and scope of the invention. It is intended that all such modifications and alterations be included insofar as they come within the scope of the invention as claimed or the equivalents thereof.

Having described the invention, the following is claimed:

1. A component for use in manufacturing articles, such as printed circuit boards, comprising: a laminate constructed of a sheet of copper foil that, in a finished printed circuit board, constitutes a functional element and a sheet of carbon steel having a layer of an inert metal thereon, said sheet of carbon steel constituting a discardable element, one surface of the copper sheet and the surface of the inert metal layer on the carbon steel sheet being essentially uncontaminated and engageable with each other at interfaces, said copper sheet being attached to the inert metal layer of the carbon steel sheet at its borders and defining a substantially uncontaminated central zones inwardly of the edges of the sheets and unjoined at the interfaces.

2. A component as defined in claim 1, wherein said inert metal is selected from the group consisting of nickel, copper, cobalt, brass, chromium, antimony and combination thereof.

3. A component as defined in claim 2, wherein said inert metal is chromium.

4. A component as defined in claim 3, wherein said chromium layer has a thickness of about 0.1 gram/m² to about 10 grams/m².

5. A component as defined in claim 4, wherein said chromium layer has a thickness of about 2.0 grams/m² to about 4 grams/m².

6. A component as defined in claim 3, wherein said chromium is electrolytically deposited on said carbon steel sheet.

7. A component as defined in claim 3, wherein said chromium is vapor deposited on said carbon steel sheet.

8. A component as defined in claim 1, wherein said carbon steel sheet has a thickness of about 0.05 mm to about 2.0 mm.

9. A component as defined in claim 4, wherein said carbon steel sheet has a thickness of about 0.1 mm to about 0.3 mm.

10. A component as defined in claim 1, wherein said copper sheet is attached to said inert metal layer by an adhesive along edges of said copper sheet and metal layer of said carbon steel sheet.

11. A protected sheet of copper foil for manufacturing multi-layer laminate, comprising:

(a) a sheet of copper foil having a thickness greater than about 5 μm and having a first surface adapted for adhering to fiber reinforced polymer layer and a second surface to be exposed after said first surface is adhered to said fiber reinforced polymer layer;

(b) a protective sheet of carbon steel having a thickness of about 0.05 mm to about 2.0 mm, said carbon steel sheet having a layer of chromium of about 0.1 gram/m^2 to about 10 grams/m^2 electrodeposited thereon, said layer of chromium covering said second surface of said copper sheet and being attached thereto in a manner defining substantially uncontaminated central zones.

12. A sheet as defined in claim 11, wherein said copper sheet is attached to said carbon steel sheet along said layer of chromium by adhesive along edges of said sheets.

1 / 1




FIG. 2




FIG. 1

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US98/23545

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :B22F 7/04; B32B 3/08, 15/01, 15/20

US CL :428/194, 209, 555, 561, 601, 618, 687, 901

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 428/194, 209, 555, 561, 601, 618, 687, 901

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
NONEElectronic data base consulted during the international search (name of data base and, where practicable, search terms used)
NONE

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,512,381 A (KONICEK et al) 30 April 1996, see entire document.	1-12
A	US 5,153,050 A (JOHNSTON) 06 October 1992, see entire document.	1-12



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

A

document member of the same patent family

Date of the actual completion of the international search

31 DECEMBER 1998

Date of mailing of the international search report

16 FEB 1999

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

BLAINE R. COPENHEAVER

Telephone No. (703) 308-0651